

# 1. Identification of Substance & Company

#### **Product**

Product name Trichloro-S-triazinetrione
Other names TCCA 90% Tablet and Granular

1,3,5-Trichloro-1,3,5-triazine-2,4,6(1H,3H,5H)-trione

Product codesNot assignedHSNO approvalHSR006483

Approval description Oxidising Liquids and Solids Group Standard 2020

UN number 2468 DG class 5.1

Proper Shipping Name Trichloroisocyanuric Acid Dry Packaging group II
Hazchem code 1WE

Uses Algaecide, bactericide, disinfectant, fungicide, microbiocide/microbiostat,

sanitiser

**Company Details** 

Company Argo International Ltd

Physical Address 9 St Benedicts St, Eden Terrace, Auckland

 Telephone
 +64 9 377 5061

 Fax
 +64 9 309 1992

 Email
 argo@argoint.co.nz

# **Emergency Telephone Number: 0800 764 766 (National Poison Centre)**

# 2. Hazard Identification

#### **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR006483, Oxidising Liquids and Solids Group Standard 2020): The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

#### GHS 7 Classes Hazard Statements

Oxidising solid cat 2

Acute toxicity cat 4 (oral)

Skin irritation cat 2

Eye damage cat 1

Aquatic acute cat 1

H270 - May intensify fire; oxidizer.

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H400 - Very toxic to aquatic life.

Aquatic chronic cat 1 H410 - Very toxic to aquatic life with long lasting effects.

#### **SYMBOLS**



# HSNO Classes Hazard Statements

5.1.1B (solid)
6.1D (oral)
6.3A
8.3A
9.1A (acute)
H270 - May intensify fire; oxidizer.
H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H400 - Very toxic to aquatic life.

9.1A (chronic) H410 - Very toxic to aquatic life with long lasting effects.

Page 1 of 7 Product Name: Trichloro-S-triazinetrione



## **Precautionary Statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P210 - Keep away from heat. No smoking.

P220 - Keep/Store away from clothing/combustible materials.

P221 - Take any precaution to avoid mixing with combustibles.

P261 - Avoid breathing mist/vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P362 - Take off contaminated clothing and wash before re-use.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

# 3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Trichloroisocyanuric Acid	87-90-1	100%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

# 4. First Aid

# **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

**Exposure** 

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

**Skin contact** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use.

Inhaled Generally, inhalation of fumes/vapours/dusts is unlikely to result in adverse health

effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the

side) for transport and contact a doctor.

**Advice to Doctor** 

Treat symptomatically

Page 2 of 7 Product Name: Trichloro-S-triazinetrione



# 5. Firefighting Measures

Fire and explosion hazards: This product is an oxidiser. Oxidising materials can increase the intensity of fire. Fire

decomposition products may be toxic if inhaled.

Suitable extinguishing

substances:

Carbon dioxide, extinguishing powder, foam, fog sprays, water jets.

Unsuitable extinguishing

substances:

Unknown.

Products of combustion:

Chlorine, chlorine compounds, oxides of nitrogen, hydrogen cyanide, carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially

explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: 1WE

# 6. Accidental Release Measures

Containment If greater than 100kg is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

storm water.

**Emergency procedures** In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers,

or water courses. (If this occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

**Disposal** Not applicable

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

# 7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children. Store

locked up. Store in a cool ventilated place. Containers should be kept closed in order to minimise contamination. Keep from extreme heat, sunlight and open flames. Avoid contact with incompatible substances as listed in Section 10. Location compliance certificates must be available if storing >500kg (closed), 50kg (open). Containers (and outer packaging) must bear the prescribed labelling, including the Hazchem code, UN

number, flammability warning and name of contents.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of dust.

# 8. Exposure Controls / Personal Protective Equipment

# **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of  $3mg/m^3$  for respirable particulates and  $10mg/m^3$  for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA\* WES-STEL

Exposure Stds Trichloroisocyanuric Acid NA NA

Chlorine 0.5ppm, 1.5mg/m<sup>3</sup> 1ppm, 2.9mg/m<sup>3</sup>

# **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Page 3 of 7 Product Name: Trichloro-S-triazinetrione



# **Personal Protective Equipment**

#### General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

#### **Eves**



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

### Skin



Avoid any skin contact. Wear overalls, rubber boots and impervious gloves. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

#### Respiratory



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with a particulate filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

#### **WES Additional Information**

## Not applicable

# 9. Physical & Chemical Properties

Appearance White tablets

Odour Sharp Chlorine-bleach odour pH 2.7-3.3 (1% in water)

Vapour pressure no data Viscosity no data Boiling point no data

Volatile materials

Negligible at normal ambient temperatures
Freezing / melting point

Decomposes about 225°C before melting

Solubility 1.2% at 25°C.

Specific gravity / density 2.07 (specific gravity)

Flash point no data
Danger of explosion no data
Auto-ignition temperature no data
Upper & lower flammable limits no data

Corrosiveness Corrosive to eyes

#### 10. Stability & Reactivity

Stability Stable

Conditions to be avoided Oxidising substance - keep away from sources of ignition and flammable materials (see

below).

Incompatible groups Reducing agents, combustible materials, flammable substances,other substances that

are readily oxidised none known

Substance Specific Incompatibility

Hazardous decomposition

products

Combustion forms carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing

atmospheres. May form hydrogen chloride gas, other compounds of chlorine.

Hazardous reactions none known

Page 4 of 7 Product Name: Trichloro-S-triazinetrione



# 11. Toxicological Information

#### Summary

IF SWALLOWED: irritation of the mouth, throat and gastrointestinal tract. Harmful if swallowed. May cause a burning sensation in the mouth and throat.

IF IN EYES: may cause stinging, reddening and watering of the eyes. Lengthy exposures or delayed treatment may cause permanent eye damage.

IF ON SKIN: may cause irritation. Symptoms may include, itchiness and reddening of the skin.

IF INHALED: dust may be irritating to the respiratory tract. Symptoms may include headaches, irritation of the nose and throat and increased secretion of mucous.

# **Supporting Data**

Skin

Acute Oral Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is

between 300 and 2000 mg/kg. Data considered includes: Trichloroisocyanuric Acid

406mg/kg (rat).

**Dermal** Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture

is >2000 mg/kg.

mixture is >5mg/L/4h.

Eye The mixture is considered to be corrosive to the eye, because some of the ingredients

(Trichloroisocyanuric Acid ) present at >3% are considered eye corrosives. The mixture is considered to be a skin irritant, because some of the ingredients

(Trichloroisocyanuric Acid) present are considered skin irritants in more concentrated

form.

**Chronic** Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

**Developmental** developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions

# 12. Ecological Data

#### Summary

This substance is considered very toxic towards aquatic organisms with long lasting effects, harmful in the soil environment and toxic towards terrestrial vertebrates.

### **Supporting Data**

**Aquatic** Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is <1mg/L. Data

considered includes: Trichloroisocyanuric Acid  $LC_{50}$ : 0.08 mg/L (static, 96hr, rainbow trout), 0.17 mg/L (static, 48hr, Daphnia magna), Log Pow = 0.9, BCF: NA, toxic to aquatic organisms after decomposition in water (to form chlorine). 0.05 mg/L toxic to fish.

**Bioaccumulation** Log Pow = 0.9 **Degradability** No data

**Soil** EPA has classified the substance as slightly harmful to the soil environment, with a soil

ecotoxicity value between 10 and 100 mg/kg and a soil DT50 value of ≤ 30 days.

**Terrestrial vertebrate**The mixture has been classified by EPA as ecotoxic to terrestrial vertebrates. Using the LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is between 50 and

500 mg/kg. Data considered includes: Trichloroisocyanuric Acid 406mg/kg (rat).

**Terrestrial invertebrate** No evidence of toxicity towards terrestrial invertebrates.

**Biocidal** no data

**Environmental effect levels** 

No EELs are available for this mixture or ingredients

# 13. Disposal Considerations

**Restrictions**There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the

Page 5 of 7 Product Name: Trichloro-S-triazinetrione



requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

#### 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for

transport.

**UN number:** 2468 Proper shipping name: Trichloroisocyanuric Acid Dry

Class(es) 5.1 Packing group: **Precautions:** Ecotoxic. Hazchem code: 1WE

**IMDG** 

2468 Trichloroisocyanuric Acid Dry UN number: Proper shipping name:

Class(es) 5.1 Packing group:

**Precautions:** Ecotoxic. **EMS** code F-A, S-Q

IATA

**UN number:** 2468 Proper shipping name: Trichloroisocyanuric Acid Dry

Class(es) 5.1 Packing group: Precautions: Ecotoxic. Guide no. 140

# 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO), Approval code: HSR006483, Oxidising Liquids and Solids Group Standard 2020. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

### **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

An inventory of all hazardous substances must be prepared and maintained. Inventory

Packaging All hazardous substances should be appropriately packaged including

substances that have been decanted, transferred or manufactured for own use

or have been supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 100kg is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 100kg is stored. Required if > 100kg is stored. Signage

Location compliance certificate Required if > >500kg (closed), >50kg (open) is stored.

Flammable zone Must be established if any quantity is stored.

Fire extinguisher If > 200kg present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

# Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

Page 6 of 7 Product Name: Trichloro-S-triazinetrione



# 16. Other Information

**Abbreviations** 

Approval Code Approval HSR006483, Oxidising Liquids and Solids Group Standard 2020 Controls, EPA.

www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

**EPA** Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7<sup>th</sup> revised

edition, 2017, published by the United Nations.

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

**HSNO** Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

**LEL** Lower Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

**LC**<sub>50</sub> Lethal Concentration 50% − concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RE System Target Organ Toxicity – Repeated Exposure
STOT SE System Target Organ Toxicity – Single Exposure

Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

Date Reason for review

23 July 2021 Not applicable – new SDS

# Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO and GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.



Page 7 of 7 Product Name: Trichloro-S-triazinetrione